

New Jersey Division of HIV/AIDS Services
Persons Living with HIV/AIDS as of December 31, 2003
Salem County Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	----	---	----	---	----	---
AIDS-Any OI	#	#	#	#	27	18
AIDS-CD4 Only	41	28	0	0	41	28
HIV Only	#	#	#	#	80	54
-----	----	---	----	---	----	---
Total	144	100	#	#	148	100

2. Current Age *			3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
Cases	%			Cases	%	Cases	%	Cases	%
-----	----	---	-----	----	---	----	---	----	---
<5	0	0	White, Not Hispanic	46	32	0	0	46	31
5-12	#	#	Black, Not Hispanic	#	#	#	#	84	57
13-19	#	#	Hispanic	13	9	0	0	13	9
20-29	8	5	Other/Unknown	#	#	#	#	5	3
30-39	56	38	-----	----	---	----	---	----	---
40-49	48	32	Total	144	100	#	#	148	100
50+	31	21							
Unk.	0	0							
-----	----	---							
Total	148	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	----	---	----	---	----	---
Men sex with men (MSM)	14	19	0	0	14	10
Injection drug user (IDU)	25	34	18	26	43	30
MSM/IDU	#	#	0	0	#	#
Heterosexual contact	14	19	39	57	53	37
Risk not reported/other***	#	#	#	#	#	#
-----	----	---	----	---	----	---
Total	74	100	69	100	143	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	----	---	----	---	----	---
Parent at risk/has AIDS/HIV	#	#	#	#	5	100
Risk not reported/other***	0	0	0	0	0	0
-----	----	---	----	---	----	---
Total	#	#	#	#	5	100

NOTE: Includes only those persons known to be infected with HIV.

Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

* Classification based on current age at the end of December 2003.

** 1 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of December 31, 2003
Salem County Residents

1. Disease Category	Adult/Adolescent*		Deaths (%)	Pediatric*		Deaths (%)	Total	
	Cases	(%)		Cases	(%)		Cases	(%)
PCP	46	(28)	32 (70)	0	(0)	0 (.)	46	(28)
Other OI w/o PCP	#	(#)	# (#)	#	(#)	# (#)	#	(#)
KS Alone	#	(#)	# (#)	#	(#)	# (#)	#	(#)
No Disease Listed	62	(38)	21 (34)	0	(0)	0 (.)	62	(37)
Total	165	(100)	99 (60)	#	(#)	# (#)	167	(100)

2. Age *	Cases	%	3. Race/Eth.	Adult/Adl*	Pediatric*	Total
				Cases	%	Cases %
Under 5	#	#	White, Not Hispanic	#	#	72 43
5-12	0	0	Black, Not Hispanic	#	#	82 49
13-19	#	#	Hispanic	10	6	10 6
20-29	24	14	Other/Unknown	#	#	# #
30-39	67	40				
40-49	42	25	Total	165	100	167 100
Over 49	31	19				
Unknown	0	0				
Total	167	100				

4. Patient Group	Adult/Adolescent Transmission Modes **				Total	%
	Males	%	Females	%		
Men sex with men (MSM)	50	42	0	0	50	30
Injection drug user (IDU)	32	27	15	32	47	28
MSM/IDU	6	5	0	0	6	4
Heterosexual contact	13	11	27	57	40	24
Risk not reported/other***	17	14	5	11	22	13
Total	118	100	47	100	165	100

	Pediatric Transmission Modes				Total	%
	Males	%	Females	%		
Parent at risk/has AIDS/HIV	#	#	#	#	#	#
Risk not reported/other***	#	#	#	#	#	#
Total	#	#	#	#	#	#

indicates that number is not shown due to small cell size,
in accordance with NJDHSS security and confidentiality policies.

* Classification at time of AIDS diagnosis.

** 0 patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of December 31, 2003
Salem County Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1985	0	0	#
1986	#	#	#
1987	#	#	#
1988	5	5	100%
1989	5	#	#
1990	10	10	100%
1991	13	11	85%
1992	13	10	77%
1993	13	9	69%
1994	12	10	83%
1995	18	13	72%
1996	8	6	75%
1997	18	#	#
1998	15	#	#
1999	8	#	#
2000	7	#	#
2001	6	#	#
2002	7	0	0%
2003	#	0	0%
-----	-----	-----	-----
Total	167	99	59%

New Jersey Division of HIV/AIDS Services

HIV INFECTION-not-AIDS Reports with Identifiers Reported as of December 31, 2003
Salem County Residents

1. Age *	Cases		2. Race/Ethnicity	Adult/Adl*		Pediatric*		Total	
	-----	---		Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
Under 5	#	#	White, Not Hispanic	23	26	0	0	23	26
5-12	0	0	Black, Not Hispanic	#	#	#	#	54	61
13-19	#	#	Hispanic	9	10	0	0	9	10
20-29	34	38	Other/Unknown	#	#	#	#	#	#
30-39	33	37	-----	-----	---	-----	---	-----	---
40-49	16	18	Total	87	100	#	#	90	100
Over 49	#	#							
Unknown	0	0							
-----	-----	---							
Total	90	100							

3. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	6	14	0	0	6	7
Injection drug user (IDU)	18	43	12	27	30	34
MSM/IDU	#	#	0	0	#	#
Heterosexual contact	5	12	20	44	25	29
Risk not reported/other***	#	#	#	#	#	#
-----	-----	---	-----	---	-----	---
Total	42	100	45	100	87	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	#	#	#	#	#	#
Risk not reported/other***	0	0	0	0	0	0
-----	-----	---	-----	---	-----	---
Total	#	#	#	#	#	#

* Classification at time of first HIV+ test or at time of report if not yet confirmed HIV+.

indicates that number is not shown due to small cell size,
in accordance with NJDHSS security and confidentiality policies.

** 0 patients were diagnosed with HIV as adults, but have evidence of having
been HIV-infected as children. They are counted as adult/adolescent
reports in tables 1 and 2; and as pediatric reports in table 3.

*** Included in this category are persons with modes of transmission of
coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated
to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS
that have subsequently been updated to AIDS. Also not included in these tables are
HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed
HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been
found to be negative (seroreverted).

New Jersey Division of HIV/AIDS Services
HIV/AIDS Cases Reported as of December 31, 2003
Salem County Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	-----	---	-----	---	-----	---
AIDS-Any OI	#	#	#	#	105	41
AIDS-CD4 Only	62	25	0	0	62	24
HIV Only	#	#	#	#	90	35
-----	-----	---	-----	---	-----	---
Total	252	100	5	100	257	100

2. Age *			3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
	Cases	%		Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
Under 5	5	2	White, Not Hispanic	#	#	#	#	95	37
5-12	0	0	Black, Not Hispanic	#	#	#	#	136	53
13-19	#	#	Hispanic	19	8	0	0	19	7
20-29	62	24	Other/Unknown	7	3	0	0	7	3
30-39	103	40	-----	-----	---	-----	---	-----	---
40-49	52	20	Total	252	100	5	100	257	100
Over 49	32	12							
Unknown	#	#							
-----	-----	---							
Total	257	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	56	35	0	0	56	22
Injection drug user (IDU)	50	31	27	29	77	31
MSM/IDU	7	4	0	0	7	3
Heterosexual contact	18	11	47	51	65	26
Risk not reported/other***	29	18	18	20	47	19
-----	-----	---	-----	---	-----	---
Total	160	100	92	100	252	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	#	#	#	#	5	100
Risk not reported/other***	0	0	0	0	0	0
-----	-----	---	-----	---	-----	---
Total	#	#	#	#	5	100

NOTE: Includes only those persons known to be infected with HIV.

Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

* Classification at time of first HIV+/AIDS diagnosis.

** 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
HIV/AIDS Cases Reported as of December 31, 2003
Salem County Residents

5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

Year of First HIV/AIDS Diagnosis	Number of Cases	Number Known Dead	Case-Fatality Rate
-----	-----	-----	-----
Before 1985	0	0	#
1986	#	#	#
1987	5	5	100%
1988	7	7	100%
1989	9	8	89%
1990	25	17	68%
1991	18	12	67%
1992	29	11	38%
1993	20	8	40%
1994	20	7	35%
1995	23	10	43%
1996	15	6	40%
1997	21	#	#
1998	18	#	#
1999	8	#	#
2000	15	#	#
2001	7	#	#
2002	12	#	#
2003	#	#	#
-----	-----	-----	-----
Total	257	109	42%